

(Sample Questions and Answers)

Question: How many HTTP headers will send to a web page (client side) from server when you use sessions (session_start()) in php?

Answer: There are three HTTP headers included in the response:

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

Question: Give the syntax of Grant and Revoke commands

Answer:

Syntax of Grant Command

grant on to

example:

grant all on employee to root;

Syntax of Revoke Command

revoke on from

ex:

revoke all on employee from root;

Question: What are Scripts and Files?

Answer:

A script may include many files, this enables PHP coders to write some of the code once, and use it in many scripts, to

include an external file into your script, you can use one of the following:

1. include: reads the external file, and interprets it, if the external file can't be found, a warning is produced, and the

execution continues.

2. require: the same as includes, but it causes the execution to stop.

3. include_once: works the same way as include, but the included file will be interpreted just once, at the first time it's

included, if it's included again in the same file, it won't be interpreted again.

4. require_once: the same as require, but also interpreted once like include_once.

Question: Given a line of text \$string, how would you write a regular expression to strip all the HTML tags from it?

Answer:

```
$stringOfText = "This is a test";
```

```
$expression = "/<(.*?)>(.*?)</(.*?)>/";
```

```
echo preg_replace($expression, "\\2", $stringOfText);
```

Question: What is the difference between explode and split?

Answer:

We can use regular expression in the search field using split function. Whereas in explode we cannot.

Ex:

```
split('[/.-]', $string);
```
